



Southland
Supply Group

Tools and Site Supplies

Product Catalogue Edition 6

Our service is
second to none

1800 77 22 91

we get it.

“A friendly,
reliable supplier of
PPE and Workwear
known for excellent
customer service.”

we get it.



THE SOUTHLAND DIFFERENCE...

we get it.

For over 30 years Southland Supply Group has been servicing Australian industry. With warehouses in Sydney, Melbourne, Adelaide, Canberra and Wagga Wagga, we have never been better placed to provide a national supply solution.

The company is founded on a solid base of core values, which include Knowledge, Performance, Honesty and Integrity.

We base our supply package on the following key strengths:

CUSTOMER FOCUSED SERVICE:

Our service to you, the customer, is the essence of our company. We see our customers as our greatest assets.

LARGE STOCK HOLDINGS:

We carry large stocks to ensure you have a consistent and reliable supply source.

EXPRESS DELIVERY SYSTEMS:

We have a warehouse and distribution network that allows us to service customers Australia wide - shipping. WHAT you want, WHERE you want, WHEN you want!

DEDICATED AFTER SALES SUPPORT:

Our service extends from order to delivery and beyond. We are always there to help.

CONSTANT RESEARCH AND DEVELOPMENT:

Constant improvement and refinement ensures we keep pace with our customers and their needs.

A PROVEN PERFORMANCE RECORD:

More than 30 years' experience ensures you have industry service that you can rely on.

COMPETITIVE PRICING:

Our prices are constantly monitored against the marketplace to ensure you receive the best value.

THE PERFECT BALANCE:

We offer the perfect balance between big company value and small company service.

**OUR ENTIRE COMPANY, FROM THE WAREHOUSE
TO THE BOARDROOM, IS PASSIONATE ABOUT OUR
CUSTOMERS AND THEIR NEEDS.**

DYMARK SPRAY & MARK PAINT

- Toluene-free formula
- High opacity, high quality, true colour pigment loading
- Applications include construction, landscaping, civil works and surveying
- Unique spray pattern specifically designed for spot marking as well as "writing" applications
- Available in Black, Red, Blue, Green, Yellow, Orange, White, Violet, Fluoro Red, Fluoro Blue, Fluoro Green, Fluoro Yellow, Fluoro Orange, Fluoro Violet, Fluoro Pink



| CODE | DETAILS | UNIT | CODE | DETAILS | UNIT |
|-------------------|--------------------|------|-------------------|--------------------|------|
| HA1001-BLACK | 350g Black | EACH | HA1001-FLU.YELLOW | 350g Fluoro Yellow | EACH |
| HA1001-BLUE | 350g Blue | EACH | HA1001-GREEN | 350g Green | EACH |
| HA1001-FLU.BLUE | 350g Fluoro Blue | EACH | HA1001-RED | 350g Red | EACH |
| HA1001-FLU.GREEN | 350g Fluoro Green | EACH | HA1001-GREY | 350g Grey | EACH |
| HA1001-FLU.ORANGE | 350g Fluoro Orange | EACH | HA1001-ORANGE | 350g Orange | EACH |
| HA1001-FLU.PINK | 350g Fluoro Pink | EACH | HA1001-VIOLET | 350g Violet | EACH |
| HA1001-FLU.RED | 350g Fluoro Red | EACH | HA1001-WHITE | 350g White | EACH |
| HA1001-FLU.VIOLET | 350g Fluoro Violet | EACH | HA1001-YELLOW | 350g Yellow | EACH |

DYMARK SPRAY & MARK PAINT - WATER BASED

- Low odour and lower toxicity
- Brighter colour range for highly visible marks
- Toluene and Xylene free formula
- Ideal for use on concrete, bitumen, steel, timber, polystyrene foam and grass
- Available in Blue, Fluoro Green, Fluoro Orange, Fluoro Pink, White & Yellow



| CODE | DETAILS | UNIT |
|-------------------|--------------------|------|
| HA1002-BLUE | 350g Blue | EACH |
| HA1002-FLU.GREEN | 350g Fluoro Green | EACH |
| HA1002-FLU.ORANGE | 350g Fluoro Orange | EACH |
| HA1002-FLU.PINK | 350g Fluoro Pink | EACH |
| HA1002-WHITE | 350g White | EACH |
| HA1002-YELLOW | 350g Yellow | EACH |

DYMARK HANDLE

- Assists in preventing back strain and gives extra reach
- Improves efficiency and makes application less fatiguing
- Lightweight aluminium construction
- Wheeled option ideal for marking lines



| CODE | DETAILS | UNIT |
|--------|-----------------------------|------|
| HA1021 | Long Arm Handle | EACH |
| HA1022 | 2 Wheel Spot Marking Handle | EACH |

DYMARK SPRAY INK

- Toluene-free formula
- Specially formulated for stencil applications
- Also suitable for general colour coding
- Fast drying and lightfast paint
- Reduced spray drift allowing maximum accuracy of spray pattern
- Unique formulation minimises build-up when used on stencils
- Available in Black, Red, Blue, Green, Yellow, Orange, Brown, White



| CODE | DETAILS | UNIT |
|---------------|-------------|------|
| HA1251-BLACK | 315g Black | CAN |
| HA1251-BLUE | 315g Blue | CAN |
| HA1251-GREEN | 315g Green | CAN |
| HA1251-ORANGE | 315g Orange | CAN |
| HA1251-RED | 315g Red | CAN |
| HA1251-TAN | 315g Tan | CAN |
| HA1251-WHITE | 315g White | CAN |
| HA1251-YELLOW | 315g Yellow | CAN |

FLAGGING TAPE

- Suitable for marking out in mining, construction, surveying, forestry and numerous other applications
- High quality and durable
- Ideal for use with survey pins for highly visible marks
- Available in a large range of colours



| CODE | DETAILS | UNIT | CODE | DETAILS | UNIT |
|-------------------|------------------------|------|---------------|--------------------|------|
| HA1031-BLUE | 25mm x 100m Blue | ROLL | HA1031-GREEN | 25mm x 100m Green | ROLL |
| HA1031-FLU.BLUE | 25mm x 100m Flu Blue | ROLL | HA1031-ORANGE | 25mm x 100m Org | ROLL |
| HA1031-FLU.GREEN | 25mm x 100m Flu Green | ROLL | HA1031-RED | 25mm x 100m Red | ROLL |
| HA1031-FLU.ORANGE | 25mm x 100m Flu Orange | ROLL | HA1031-WHITE | 25mm x 100m White | ROLL |
| HA1031-FLU.RED | 25mm x 100m Flu Red | ROLL | HA1031-YELLOW | 25mm x 100m Yellow | ROLL |
| HA1031-FLU.YELLOW | 25mm x 100m Flu Yellow | ROLL | | | |
| HA1031-FLU-PINK | 25mm x 100m Flu Pink | ROLL | | | |

DONAGHY'S 8# NYLON BUILDERS LINE

- Premium quality 8# 100m string line



| CODE | DETAILS | UNIT |
|--------|-------------------|------|
| HB1001 | 100m, Fluoro Lime | EACH |
| HB1002 | 100m, Fluoro Pink | EACH |
| HB1003 | 100m, Natural | EACH |

FLAGGING SURVEY PINS

- Brightly coloured flags
- Ideal for marking buried cable, underground wires etc
- Suitable for mining, construction, surveying, civil works and other applications



| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HA1282 | Fluoro Pink, Box/500 | BOX |

DYMARK P20 PAINT MARKER

- High performance paint marker
- Xylene-free, fast dry formula
- Replaceable, heavy duty and reversible tips
- Bold, easy to read marks
- Available in Black, Blue, Green, Pink, Red, White & Yellow



| CODE | DETAILS | UNIT |
|---------------|-------------------------|------|
| HA1062-BLACK | P20 Paint Marker Black | EACH |
| HA1062-BLUE | P20 Paint Marker Blue | EACH |
| HA1062-GREEN | P20 Paint Marker Green | EACH |
| HA1062-PINK | P20 Paint Marker Pink | EACH |
| HA1062-RED | P20 Paint Marker Red | EACH |
| HA1062-WHITE | P20 Paint Marker White | EACH |
| HA1062-YELLOW | P20 Paint Marker Yellow | EACH |

DYMARK P10 PAINT MARKER

- High performance paint marker
- Xylene-free, fast dry formula
- Replaceable, heavy duty tips
- Bold, easy to read marks
- Available in Black, Red, White & Yellow



| CODE | DETAILS | UNIT |
|---------------|---------------------------|------|
| HA1061-BLACK | P10 Paint Marker - Black | EACH |
| HA1061-RED | P10 Paint Marker - Red | EACH |
| HA1061-WHITE | P10 Paint Marker - White | EACH |
| HA1061-YELLOW | P10 Paint Marker - Yellow | EACH |

MARKAL PAINTSTIK B

- Long-lasting, weather and fade resistant
- Ideal for layout, colour coding, fabrication and identification
- Designed for fabricating structural steel or layout work where the marks are required to bleed through a primer coat covering the marks



| CODE | DETAILS | UNIT |
|--------|---------|------|
| HA1511 | Black | EACH |
| HA1512 | Orange | EACH |
| HA1513 | White | EACH |
| HA1515 | Yellow | EACH |

DYMARK IFINE PERMANENT MARKER

- Marks on most difficult surfaces
- Permanent and hard wearing on most surfaces
- Fade and water resistant
- Quick drying



| CODE | DETAILS | UNIT |
|--------------|--------------------|------|
| HA1264-BLACK | Medium Tip - Black | EACH |

DYMARK I70 PERMANENT MARKER

- Acrylic bullet tip with medium point
- Quick drying
- Waterproof marks
- Longer cap off time



| CODE | DETAILS | UNIT |
|--------------|---------------------------|------|
| HA1261-BLACK | Medium Bullet Tip - Black | EACH |
| HA1261-BLUE | Medium Bullet Tip - Blue | EACH |

DYMARK I90 PERMANENT MARKER

- Acrylic chisel tip
- Quick drying
- Waterproof marks
- Longer cap off time



| CODE | DETAILS | UNIT |
|--------------|--------------------|------|
| HA1262-BLACK | Chisel Tip - Black | EACH |
| HA1262-BLUE | Chisel Tip - Blue | EACH |

IDEAL MARKER BLACK

- Valve-action marker
- Dye-based permanent ink
- Fitted with heavy duty bullet shaped replaceable tip
- Handy pocket clip



| CODE | DETAILS | UNIT |
|--------|----------------------------|------|
| HA1351 | Marker Black | EACH |
| HA1352 | Replacement Tips - 12 Pack | PACK |

Marking

Tools & Site Supplies

LEVIATHAN LUMBER CRAYONS

- Wax crayons suitable for marking all surfaces
- Provide sensor recognisable marks, making them ideal for use with automatic saws and dockers



| CODE | DETAILS | UNIT |
|--------------|-------------------------------|------|
| HA1231-BLACK | Lumber Crayons No. 3 - BLACK | EACH |
| HA1231-BLUE | Lumber Crayons No. 3 - BLUE | EACH |
| HA1231-RED | Lumber Crayons No. 3 - RED | EACH |
| HA1231-WHT | Lumber Crayons No. 3 - WHITE | EACH |
| HA1231-YLW | Lumber Crayons No. 3 - YELLOW | EACH |

ANDYCRAFT PREMIUM MARKING CRAYONS

- Use on timber, leather, glass, tyres and waxed cartons in damp and refrigerated conditions
- Available in Blue, Fluoro Green, Fluoro Orange, Fluoro Pink, Fluoro Yellow, Light Blue, Red, White



| CODE | DETAILS | UNIT |
|--------|-------------------------|------|
| HA1341 | Premium Marking Crayons | EACH |

ENGINEERS CHALK

- For marking steel in general engineering work
- Marks Steel, All Metals, Concrete, Masonary, etc
- Easy to use - Easy to remove



| CODE | DETAILS | UNIT |
|--------|--------------------------------------|------|
| HM1001 | Split - 75 x 10 x 5mm (100 pcs/box) | BOX |
| HM1002 | Square - 75 x 10 x 10mm (50 pcs/box) | BOX |

STANLEY FATMAX XTREME CHALK LINE REEL SET

- Die-cast aluminium housing for durability
- 2x Stronger line - 3x line abrasion resistance
- 5:1 gear ratio for faster winding
- Quick gear release - crank will not spin when pulling out line
- Stainless steel hook and crank handle
- On-board hook storage
- Patented Chalk View case - see amount of chalk inside case
- Premium polymer string resists breakage and fraying



| CODE | DETAILS | UNIT |
|--------|------------------------|------|
| HA1141 | 3 Piece Set, 30m, Blue | EACH |
| HA1142 | 3 Piece Set, 30m, Red | EACH |

OX CARPENTERS PENCILS

- Oversized pencils with flat surfaces
- Perfect for marking saw lines, drill points, etc.
- Available in hard lead (green) and medium lead (red)
- Includes pencil sharpener



| CODE | DETAILS | UNIT |
|------------|---|------|
| OX-T023010 | Hard Green Carpenters Pencils - 10pk | PACK |
| OX-T022910 | Trade Medium Red Carpenters Pencils - 10 pk | PACK |

CARPENTER'S PENCIL

- Hard lead for marking on rough surfaces
- Traditional shape chamfered rectangle for comfort
- Ideal for masonry and concrete
- Options of Green and Red Pencil



| CODE | DETAILS | UNIT |
|--------|--------------|------|
| HA1241 | Hard - Green | EACH |
| HA1242 | Medium - Red | EACH |

Landscape & Digging Tools

Tools & Site Supplies

OX SQUARE MOUTH SHOVEL ALL STEEL 'D' GRIP HANDLE - 1040MM LENGTH

- All steel, pressed and welded construction
- D grip handle
- High visibility blue powder coated
- Shovel Area: 250mm x 350mm



| CODE | DETAILS | UNIT |
|--------|---------------|------|
| HC1001 | 1040mm length | EACH |

OX SQUARE MOUTH SHOVEL ALL STEEL 'D' GRIP HANDLE - 1200MM LENGTH

- All steel, pressed and welded construction
- D grip handle
- High visibility blue powder coated
- Shovel Area: 250 x 300MM



| CODE | DETAILS | UNIT |
|--------|---------------|------|
| HC1002 | 1200mm length | EACH |

OX SQUARE MOUTH SHOVEL

- All steel, pressed and welded construction
- Long rubber grip handle
- High visibility blue powder coated
- Shovel Area: 250mm x 300mm
- Length: 1220mm



| CODE | DETAILS | UNIT |
|--------|-------------|------|
| HC1011 | Long Handle | EACH |

SJ POST HOLE SHOVEL - HARDWOOD TIMBER HANDLE

- Heavy duty carbon steel head
- Steel collar for extra strength
- Hardwood timber handle



| CODE | DETAILS | UNIT |
|--------|------------------------|------|
| HC1022 | Hardwood Timber Handle | EACH |

SJ TRADE TRENCHING SHOVEL

- Heat treated, high grade carbon steel
- High quality fibreglass shaft with soft grip cap
- Reinforced collar
- Ideal for digging trenches, drains and other narrow tasks



| CODE | DETAILS | UNIT |
|--------|------------------------|------|
| HC1141 | Long Fibreglass Handle | EACH |

SJ POST HOLE SHOVEL - FIBREGLASS HANDLE

- Ideal for Digging Post Holes, Clearing & Mixing Work
- Trade Quality 3mm Fibreglass Shaft
- Soft Grip End Cap & Centre Grip
- 40mm Reinforced Steel Collar
- Carbon Steel Head



| CODE | DETAILS | UNIT |
|--------|-------------------|------|
| HC1031 | Fibreglass Handle | EACH |

SJ TRADE SQUARE MOUTH SHOVEL

- Ideal for Shoveling Soils, Sand & General Materials
- Strong Oak Shaft
- 40mm Reinforced Steel Collar
- Carbon Steel Head
- Hammer Tone Powder Coat Finish for Corrosion Protection & Reduced Soil Adhesion
- Pressure Tested to Withstand 130kg+ of Downforce



| CODE | DETAILS | UNIT |
|--------|--------------------|------|
| HC1152 | Long Timber Handle | EACH |

MEDALIST SQUARE MOUTH LONG HANDLE SHOVEL

- Premium square mouth shovel
- Hollow core fibreglass handle



| CODE | DETAILS | UNIT |
|--------|-------------------------------|------|
| HC1271 | Hollow Core Fibreglass Handle | EACH |

Landscape & Digging Tools

Tools & Site Supplies

SJ ALUMINUM GRAIN SHOVEL - LARGE 420MM X 320MM SCOOP

SPEAR & JACKSON

- Ideal for shifting and spreading grain and mulch
- Pressed aluminium scoop
- Hardwood timber handle with plastic D handle
- Reinforced steel collar



| CODE | DETAILS | UNIT |
|--------|----------|------|
| HC1041 | D Handle | EACH |

SJ ALUMINUM GRAIN SHOVEL - LARGE 420 X 320MM SCOOP

SPEAR & JACKSON

- Ideal for shifting and spreading grain and mulch
- Pressed aluminium scoop
- Long hardwood timber handle
- Reinforced steel collar



| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HC1042 | 1200mm Timber Handle | EACH |

SJ ALUMINUM GRAIN SHOVEL - SMALL 420 X 290MM SCOOP

SPEAR & JACKSON

- deal for shifting and spreading grain and mulch
- Pressed aluminium scoop
- Long hardwood timber handle
- Reinforced steel collar



| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HC1044 | 1200mm Timber Handle | EACH |

CYCLONE SQUARE MOUTH SHIFTING SHOVEL

Cyclone

- Ideal for shovelling heavy soils and sand
- 2mm boron and titanium treated Australian steel blade
- Lacquer-sealed premium Australian hardwood handle prevents splintering
- Blade size Small
- Unthreaded blade
- Lifetime Guarantee




| CODE | DETAILS | UNIT |
|--------|------------------------------------|------|
| HC1531 | (Small Blade) - Long Timber Handle | EACH |
| HC1900 | Short Handle Shifting Shovel | EACH |

SJ LANDSCAPERS 18T RAKE, W/STAY

SPEAR & JACKSON

- Powder coated carbon steel head with stays
- Spreading bar for fillings and toppings
- Long timber handle
- Tapered socket




| CODE | DETAILS | UNIT |
|--------|---------------|------|
| HC1061 | Timber Handle | EACH |

HEAVY DUTY PLASTIC FAN RAKE

SPEAR & JACKSON

- Ideal for Raking Leaves, Weeds & Grass Clippings
- Co-polymer Plastic Head for Extra Flexibility
- 20 Tines
- Head Made & Assembled In Australia
- Long Metal Handle with Plastic Hanger




| CODE | DETAILS | UNIT |
|------------|---------|------|
| HC1201-450 | 450mm | EACH |
| HC1201-600 | 600mm | EACH |

CYCLONE GREAT AUSSIE SUPER RAKE

Cyclone

- Huge 580mm polypropylene plastic rake head cuts raking time in half
- A scraper that is used for levelling sand and shifting water from driveways or garage floors
- Heavy duty, UV stabilised polypropylene construction ensures long lasting durability
- Strong but light aluminium handle reduces fatigue
- Lifetime guarantee



| CODE | DETAILS | UNIT |
|--------|-------------------|------|
| HC1361 | Long Alum. Handle | EACH |

SPEAR & JACKSON FIRE RAKE HOE

SPEAR & JACKSON

- Ideal for use in firefighting, clearing of fire debris such as bark or other combustible materials
- Forged & riveted head and socket
- Heat treated & tempered blade
- Sharpened edge for cutting & chopping small limbs
- Long hardwood handle



| CODE | DETAILS | UNIT |
|--------|---------------|------|
| HC1463 | Fire Rake Hoe | EACH |


Landscape & Digging Tools

Tools & Site Supplies

OX PROFESSIONAL ALUMINIUM CONCRETE RAKE

OX
UNLEASH THE POWER

- 1500mm long handle with soft grip
- Braced for extra strength
- Powdercoated finish
- Handle: 150cm




| CODE | DETAILS | UNIT |
|------------|---------------|------|
| OX-P016302 | Concrete Rake | EACH |

SJ GARDEN MATTOCK

SPEAR & JACKSON

- Heavy duty carbon steel head
- Solid timber handle



| CODE | DETAILS | UNIT |
|--------|---------------------|------|
| HC1071 | Chisel & Blade Ends | EACH |

CYCLONE CROW BAR

Cyclone

- Premium quality steel crow bar
- The sharpened chisel and pointed ends are designed for loosening soils in deep holes/trenches and for levering heavy items




| CODE | DETAILS | UNIT |
|--------|----------------------------------|------|
| HC1083 | 1830 x 30mm HEX (Chisel & Spike) | EACH |

CYCLONE FENCING BAR

Cyclone

- Premium quality steel fencing bar
- Ideal for fencing contractors and farmers digging, packing and ramming soil




| CODE | DETAILS | UNIT |
|--------|-------------------------------------|------|
| HC1096 | 1830 x 25mm ROUND (Chisel & Rammer) | EACH |

INSULATED NON CONDUCTIVE

NUPLA

- Tested at 10,000 volts to exceed IEC 60900 and ASTM F1505 standards
- Each tool stamped with traceable test serial number
- Manufactured in safety orange for easy identification
- Handles marked with 1000V high voltage double diamond
- Used by utilities, railroads, councils and electrical contractors etc.



| CODE | DETAILS | UNIT |
|------------|---|------|
| HT1002 | Crowbar with Chisel/Wedge - 1.8m | EACH |
| HT1003-1.2 | Soil Probe with Metal Tip - 1.2M | EACH |
| HT1004 | Mattock with Chisel & Blade Ends | EACH |
| HT1006 | Round Mouth Shovel, Long Handle | EACH |
| HT1013 | Rubber Coated Insulated Fence Bar (Chisel Tip) - 1650mm | EACH |

E-Z REACHER LITTER PICK UP TOOL WITH RUBBER CUPS

Dynamac

- Premium litter collection tool, 85cm long with opposed rubber cups
- Able to pick very small objects from the ground




| CODE | DETAILS | UNIT |
|--------|---------|------|
| HC1161 | 800mm | EACH |

REACHER PICK UP TOOL

Dynamac

- Lightweight, robust and wear-resistant retrieval tool
- Ideal for the safe collection of discarded syringes / needles and other sharp objects. Picking up objects doesn't have to include stretching and bending
- Economical yet durable
- Slip-resistant jaws can pick up extremely small objects



| CODE | DETAILS | UNIT |
|--------|-----------------|------|
| HC1571 | Extra Long 90cm | EACH |

Striking Tools

Tools & Site Supplies

SLEDGE HAMMER, FIBREGLASS HANDLE

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic grip



| CODE | DETAILS | UNIT |
|------------|------------------------|------|
| OX-T081507 | 7lb Fibreglass Handle | EACH |
| OX-T081510 | 10lb Fibreglass Handle | EACH |
| OX-T081512 | 12lb Fibreglass Handle | EACH |
| OX-T081514 | 14lb Fibreglass Handle | EACH |

SLEDGE HAMMER, WOODEN HANDLE

- High quality drop forged steel head
- Hickory handle
- Fitted with steel wedges



| CODE | DETAILS | UNIT |
|------------|--------------------|------|
| OX-P080204 | 4lb Wooden Handle | EACH |
| OX-P080207 | 7lb Wooden Handle | EACH |
| OX-P080210 | 10lb Wooden Handle | EACH |
| OX-P080214 | 14lb Wooden Handle | EACH |

OX 200Z CLAW HAMMER

- Professional forged one piece steel claw hammer
- High quality steel for durability
- Non-slip grip handle with shock reduction
- Precision balanced for better ergonomics
- Lifetime guarantee



| CODE | DETAILS | UNIT |
|--------|-----------------|------|
| HE1021 | Duragrip handle | EACH |

CLUB HAMMER, FIBREGLASS HANDLE

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip



| CODE | DETAILS | UNIT |
|------------|-----------------------|------|
| OX-T081303 | 3lb Fibreglass Handle | EACH |
| OX-T081304 | 4lb Fibreglass Handle | EACH |

OX TRADE 4LB DEMOLITION HAMMER

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip



| CODE | DETAILS | UNIT |
|------------|-------------------|------|
| OX-T082004 | Fibreglass Handle | EACH |

WRECKING BAR

- Heavy duty
- Hardened and tempered steel construction



| CODE | DETAILS | UNIT |
|------------|-------------------|------|
| OX-T091012 | Trade 12" / 300mm | EACH |
| OX-T091018 | Trade 18" / 450mm | EACH |
| OX-T091024 | Trade 24" / 600mm | EACH |
| OX-T091030 | Trade 30" / 750mm | EACH |
| OX-T091036 | Trade 36" / 900mm | EACH |

Fastening Tools

Tools & Site Supplies

MEDALIST HEAVY DUTY CHROME PLATED ADJUSTABLE WRENCH

- Manufactured from drop forged chrome plated steel
- Metric graduation markings on jaw



| CODE | DETAILS | UNIT |
|-------|---------|------|
| 17503 | 200mm | EACH |
| 17504 | 250mm | EACH |
| 17505 | 300mm | EACH |
| 17506 | 375mm | EACH |
| 17507 | 450mm | EACH |
| 17508 | 600mm | EACH |

MEDALIST FENCING PLIERS

- With pouch
- Comfortable grip handle, ideal for general purpose cutting, bending & tying



| CODE | DETAILS | UNIT |
|-------|---------|------|
| 15630 | 250mm | EACH |
| 15632 | 300mm | EACH |

STANLEY FATMAX PLIERS

- Interlocking joint assembly for smooth cutting
- Heat treated high chrome steel forging for long life and durability
- Bi-material handle with secure grip grooving
- Hand ground, induction hardened blades
- For maximising grip & manoeuvring small objects in confined spaces



| CODE | DETAILS | UNIT |
|--------|----------------------------|------|
| HF3004 | Diagonal Pliers - 190mm | EACH |
| HF3005 | Long Nose Pliers - 200mm | EACH |
| HF3007 | Combination Pliers - 200mm | EACH |

STANLEY SCREWDRIVER SET ACETATE HANDLE 14PC

- Precision ground and hardened tips for usability and a longer working life
- Premium grade nickel chrome vanadium steel
- Cellulose acetate handles for impact resistance



| CODE | DETAILS | UNIT |
|--------|--------------------------------|------|
| 65-750 | Screwdriver Set Acetate Handle | SET |

STANLEY SCREWDRIVER SET ACETATE HANDLE 20PC

- Precision ground and hardened tips for usability and a longer working life
- Premium grade nickel chrome vanadium steel
- Cellulose acetate handles for impact resistance



| CODE | DETAILS | UNIT |
|--------|--------------------------------|------|
| H01122 | Screwdriver Set Acetate Handle | SET |

STANLEY SOCKET SET 1/4" & 1/2" DRIVE MET/AF

- Metric Sockets: 4, 5, 6, 7, 8, 9, 10mm
- A/F Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- Socket Accessories: Ratchet, 50 & 150mm Extensions, Universal Joint
- 1/2" Drive Sockets & Accessories



| CODE | DETAILS | UNIT |
|--------|---------|------|
| 89-535 | 50pcs | SET |

STANLEY SOCKET SET 1/4" & 3/8" DRIVE MET/AF

- A/F Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- Metric Sockets: 4, 5, 6, 7, 8, 10, 11, 12mm
- Metric Sockets: 8, 10, 11, 12, 13, 14, 16, 17, 19mm
- Socket Accessories: Socket Driver 3/8" Drive Sockets & Accessories



| CODE | DETAILS | UNIT |
|--------|---------|------|
| 89-518 | 37pcs | EACH |

Cutting Tools

Tools & Site Supplies

AUTO-RETRACTING ORANGE SAFETY KNIFE WITH RUBBER GRIP

- Automatic blade retracting system reduces injuries
- Suitable for both right and left handers
- Rubber grip sides reduce slipping
- Die cast metal construction



Sterling

| CODE | DETAILS | UNIT |
|--------|-------------|------|
| HD2031 | Rubber Grip | EACH |

ORANGE 18MM PLASTIC CUTTER

- Pull back safety lock stops blade slipping
- Blade snapper at rear to remove used points



Sterling

| CODE | DETAILS | UNIT |
|--------|---------|------|
| HD2061 | 18mm | EACH |

ALL METAL SNAP OFF CUTTER

- Super tough all metal die cast body
- Extra thick stainless steel insert
- Rubber grip on the back to reduce slippage
- Includes blade snapper on the back of cutter



Sterling

| CODE | DETAILS | UNIT |
|--------|------------------|------|
| HD2051 | All Metal Cutter | EACH |

STERLING LARGE 18MM SNAP BLADE

- 8 point 18mm wide
- Popular packaging blade
- Suits all large 18mm snap cutters



Sterling

| CODE | DETAILS | UNIT |
|-----------|------------|------|
| HD2081-10 | Pack of 10 | PACK |
| HD2081-50 | Pack of 50 | PACK |

SIDESLIDE SAFETY KNIFE

- Automatic blade retracting system prevents injuries
- Suits both right and left hand users
- Symmetrical design allows blade to be inserted upside down for left handed users



Sterling

| CODE | DETAILS | UNIT |
|-------|---------------------|------|
| 415 | Junior Safety Knife | EACH |
| 412-1 | Safety Knife | EACH |

SLIDELock KNIFE BLADES (X10)

- Suits 412 Sideslide knife
- Made in Sheffield - England



Sterling

| CODE | DETAILS | UNIT |
|--------|------------|------|
| 412B-1 | Pack of 10 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| HD2071-10 | Pack of 10 | PACK |
| HD2071-100 | Pack of 100 | PACK |

OX PROFESSIONAL MPS TURBO DIAMOND BLADE

- Cuts everything on a construction site
- The original Professional "Superior" blade
- Cooler cutting and semi-transparent in use
- 15mm segment height
- Reinforced centre plate for safety
- Semi-silent vibration damped
- Applications: Granite, natural stone, clay products, engineering bricks, concrete products, all building materials

| CODE | DETAILS | UNIT |
|----------|-------------------------|------|
| OX-04MPS | 4" Turbo Diamond Blade | EACH |
| OX-05MPS | 5" Turbo Diamond Blade | EACH |
| OX-06MPS | 6" Turbo Diamond Blade | EACH |
| OX-07MPS | 7" Turbo Diamond Blade | EACH |
| OX-08MPS | 8" Turbo Diamond Blade | EACH |
| OX-09MPS | 9" Turbo Diamond Blade | EACH |
| OX-10MPS | 10" Turbo Diamond Blade | EACH |
| OX-14MPS | 14" Turbo Diamond Blade | EACH |



OX PROFESSIONAL MPSS SUPERFAST SEGMENTED TURBO DIAMOND BLADE

- Cuts everything on a construction site
- The original Professional "Superior" blade
- Cooler cutting and semi-transparent in use
- 15mm segment height
- Reinforced centre plate for safety
- Semi-silent vibration damped
- Applications: Granite, natural stone, clay products, engineering bricks, concrete products, all building materials


| CODE | DETAILS | UNIT |
|-----------|-------------------------|------|
| OX-12MPSS | 12" Turbo Diamond Blade | EACH |
| OX-14MPSS | 14" Turbo Diamond Blade | EACH |
| OX-16MPSS | 16" Turbo Diamond Blade | EACH |



UNITEC DESTROYER MULTI BLADE

- The Destroyer series blades have created the benchmark in cutting performance
- Has a powerful cutting ability in a wide range of materials including cured and heavily reinforced concrete, bricks and even steel
- Strong design enables it to handle rugged usage in demo saws, brick saws and concrete saws


| CODE | DETAILS | UNIT |
|-----------|-----------------------------------|------|
| HD1291-09 | Destroyer Multi Blade - 9" 230MM | EACH |
| HD1291-14 | Destroyer Multi Blade - 14" 350MM | EACH |
| HD1291-16 | Destroyer Multi Blade - 16" 400MM | EACH |



OX ULTIMATE UCT CONT. RIM DIAMOND BLADE - CERAMICS

- 7mm segment
- Cuts all tiles, guaranteed!
- Fine cut, continuous rim
- S-detenso silencing
- Reducing bushes provide for all common sizes
- Thin cutting edge removes less material
- S-slot cool cutting
- Applications: ceramic tiles, natural stone, porcelain, granite, marble

| CODE | DETAILS | UNIT |
|------------|------------------------------|------|
| OX-UCT-4 | 4" Cont. Rim Diamond Blade | EACH |
| OX-UCT-4.5 | 4.5" Cont. Rim Diamond Blade | EACH |
| OX-UCT-5 | 5" Cont. Rim Diamond Blade | EACH |
| OX-UCT-6 | 6" Cont. Rim Diamond Blade | EACH |
| OX-UCT-7 | 7" Cont. Rim Diamond Blade | EACH |
| OX-UCT-8 | 8" Cont. Rim Diamond Blade | EACH |
| OX-UCT-9 | 9" Cont. Rim Diamond Blade | EACH |
| OX-UCT-14 | 14" Cont. Rim Diamond Blade | EACH |



OX TRADE DIAMOND BLADE, GENERAL PURPOSE/CONCRETE

- General purpose blade with 10mm segments
- Applications: Building products, general purpose, kerbs and slabs, concrete pavers and blocks, roof tiles

| CODE | DETAILS | UNIT |
|-------------|--------------------|------|
| OX-TC10-4 | 4" Diamond Blade | EACH |
| OX-TC10-4.5 | 4.5" Diamond Blade | EACH |
| OX-TC10-5 | 5" Diamond Blade | EACH |
| OX-TC10-7 | 7" Diamond Blade | EACH |
| OX-TC10-9 | 9" Diamond Blade | EACH |
| OX-TC10-14 | 14" Diamond Blade | EACH |
| OX-TC10-16 | 16" Diamond Blade | EACH |



OX TRADE OX-TB10-14 ZEBRA DIAMOND BLADE - ABRASIVE / GENERAL PURPOSE

- Abrasive and general purpose blade
- 10mm segment
- Applications: general and abrasive building products, concrete pavers, concrete roof tiles, hard asphalt, breeze blocks

| CODE | DETAILS | UNIT |
|------------|-------------------|------|
| OX-TB10-14 | 14" Diamond Blade | EACH |
| OX-TB10-16 | 16" Diamond Blade | EACH |



OX - POINTED FINISHING TROWEL

- Carbon steel blade
- One piece ergonomic plastic handle

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| OX-T017309 | 100 x 355mm | EACH |
| OX-T017301 | 120 x 356mm | EACH |
| OX-T017391 | 115 x 405mm | EACH |
| OX-T017392 | 115 x 450mm | EACH |
| OX-T017365 | 115 x 600mm | EACH |



OX PROFESSIONAL POOL TROWEL

- High grade stainless steel
- Heavy duty aluminium shank
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- Double hung Duragrip handle

| CODE | DETAILS | UNIT |
|------------|-----------------------|------|
| OX-P015712 | 100 x 300mm, Flexible | EACH |
| OX-P015714 | 100 x 356mm, Flexible | EACH |
| OX-P015718 | 100 x 457mm, Flexible | EACH |
| OX-P015818 | 100 x 457mm, Rigid | EACH |



OX PROFESSIONAL MAGNESIUM FLOAT

- Heavy duty magnesium blade
- Duragrip handle
- Bevelled ends and rounded corners

| CODE | DETAILS | UNIT |
|------------|-------------|------|
| OX-P017012 | 12" (300mm) | EACH |
| OX-P017016 | 16" (400mm) | EACH |
| OX-P017020 | 20" (500mm) | EACH |



OX PROFESSIONAL 400MM MAGNESIUM FLOAT WITH ROUND ENDS

- Heavy duty magnesium blade
- Filly rounded end helps prevent float marks

| CODE | DETAILS | UNIT |
|------------|---------|------|
| OX-P400416 | 400mm | EACH |



OX TRADE EDGER

- Carbon steel blade
- One piece ergonomic plastic handle

| CODE | DETAILS | UNIT |
|------------|-------------------------------|------|
| OX-T016806 | 150 x 75mm Edger - 12mm Gr. | EACH |
| OX-T016906 | 150 x 100mm Edger - 19mm Gr. | EACH |
| OX-T017012 | 175 x 112mm Edger - 22mm 12r. | EACH |
| OX-T535910 | 150 x 100mm Edger - 14mm 10r. | EACH |



OX TRADE REBAR BENDER/CUTTER

- Jaws made of high carbon alloy tool steel
- Cuts and bends grade 60 rebar
- Bends 90° and 180°
- Can cut up to 16mm rebar

| CODE | DETAILS | UNIT |
|------------|---------------|------|
| OX-T230613 | Bender/Cutter | EACH |



OX TRADE TIE WIRE TWISTER

- Smooth operating spiral spindle
- Reinforced ring to prevent unnecessary wear when hook end returns
- Soft grip

| CODE | DETAILS | UNIT |
|------------|---------|------|
| OX-T230231 | 310mm | EACH |



BAR CHAIRS

- Used to support reinforcing mesh and bars at the correct height in the concrete

| CODE | DETAILS | UNIT |
|--------|----------------------------|------|
| LD1012 | Non-Clip 50/65mm (100 Bag) | EACH |
| LD1013 | Clip-On 50/65mm | EACH |
| LD1014 | Non-Clip 75/90mm | EACH |
| LD1015 | Clip-On 75/90mm (100 Bag) | EACH |



OX PROFESSIONAL ALUMINIUM BULLFLOAT

- Heavy duty structural alloy
- Extruded ribs for extra strength
- Easy to clean powdercoated finish



| CODE | DETAILS | UNIT |
|------------|---------|------|
| OX-P016606 | 600mm | EACH |
| OX-P016609 | 900mm | EACH |
| OX-P016612 | 1200mm | EACH |

OX PROFESSIONAL TELESCOPIC HANDLE

- High quality extruded aluminium
- Fluted profile
- Powdercoated finish
- HDPE Screw-lock fitting



| CODE | DETAILS | UNIT |
|------------|-------------|------|
| OX-P016550 | 2700-5000mm | EACH |

OX PROFESSIONAL S/S FRESNO WALKING TROWEL

- High grade stainless steel
- Complete with fresno bracket
- With round ends



| CODE | DETAILS | UNIT |
|------------|-------------|------|
| OX-P402860 | 120 x 600mm | EACH |
| OX-P402890 | 120 x 900mm | EACH |

OX - FINISHING BROOM

- Cast aluminium back
- Premium fibre bristles
- Complete with adaptor



| CODE | DETAILS | UNIT |
|------------|----------------------|------|
| OX-P060390 | 900mm (25mm Fitting) | EACH |

OX PROFESSIONAL ALUMINIUM CONCRETE RAKE

- 1500mm long handle with soft grip
- Braced for extra strength
- Powdercoated finish
- Handle: 150cm



| CODE | DETAILS | UNIT |
|------------|---------------|------|
| OX-P016302 | Concrete Rake | EACH |

OX PROFESSIONAL CLAMPED HANDLE CONCRETE SCREED

- Heavy duty structural alloy
- Ergonomic grip handle with internal support bars
- Internal strength support bars
- Reversible clamped handle
- Easy to clean powdercoated finish
- Cutting and pushing edge positioned for comfort



| CODE | DETAILS | UNIT |
|------------|---------|------|
| OX-P021412 | 1200mm | EACH |
| OX-P021415 | 1500mm | EACH |
| OX-P021418 | 1800mm | EACH |
| OX-P021421 | 2100mm | EACH |
| OX-P021424 | 2400mm | EACH |
| OX-P021427 | 2700mm | EACH |
| OX-P021430 | 3000mm | EACH |
| OX-P021436 | 3600mm | EACH |

OX TRADE DURAGRIP TAPE MEASURE

- Ergonomic rubber grip
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release button



| CODE | DETAILS | UNIT |
|------------|--------------|------|
| OX-T020108 | 8m Duragrip | EACH |
| OX-T020110 | 10m Duragrip | EACH |

STANLEY 8M TYLON TAPE MEASURE

- Premium Stanley 8m tape measure with belt clip and blade lock
- With Tylon coated blade
- Easy to read blade increments



| CODE | DETAILS | UNIT |
|--------|-----------------|------|
| HB1061 | Metric | EACH |
| HB1062 | Metric/Imperial | EACH |

STANLEY OPEN REEL FIBREGLASS LONG TAPE MEASURE - 30M

- Reinforced fibreglass tape (40 strand vs 24) reduces elasticity and improves measuring accuracy
- Corrosion-resistant, UV protected, non-conductive tape highly resistant to site drainage
- Tape blade has washable pvc coating to increase life
- High impact ABS open reel to withstand severe work conditions
- Large grip handle to fit better in hand
- Ground Spike for accurate measurement



| CODE | DETAILS | UNIT |
|--------|--------------------|------|
| HB2331 | Tape Measure - 30M | EACH |

CRESCENT LUFKIN PROFESSIONAL MEASURING WHEEL 320MM

- Aggressive tread Pattern for improved traction
- Ergonomic pistol grip handle for user comfort and control
- Folding design provides minimal storage footprint
- Reset button location designed to prevent accidental reset
- Large wheel with improved kickstand
- Easy to read non glare counter
- 999.9m



| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| HB1861 | Measuring Wheel 320mm | EACH |

TAPE-TECH 8M TAPE MEASURE W/ RUBBER GRIP

- Rubber back case
- Metric or metric/imperial markings
- 3 rivet end hook
- The most consistently accurate value tape measure range



| CODE | DETAILS | UNIT |
|--------|------------------------------|------|
| HB1071 | 8M Tape Measure - Metric | EACH |
| HB1072 | 8M Tape Measure -Metric/Imp. | EACH |

STANLEY FATMAX TAPE MEASURE

- 8m/10m long x 32mm wide blade with mylar polyester coating
- Patented airlock slide lock for easy locking
- Blade armour coating on initial section of blade
- 3-rivet end hook



| CODE | DETAILS | UNIT |
|--------|---------------------------------------|------|
| HB1091 | 8m Blade Armour Tape Measure - Metric | EACH |
| HB1311 | 10m Tape Measure - Metric | EACH |

STERLING 50M OPEN REEL NYLON COATED STEEL STERLING TAPE MEASURE

- Open reel casing
- High quality 10mm nylon coated steel blade
- Suitable for surveying, building, fencing etc.



| CODE | DETAILS | UNIT |
|-----------|------------------|------|
| HB1421-50 | 50m Tape Measure | EACH |

IMEX R1000 MEASURING WHEEL

- The reading is taken from the easy-to read mechanical counter
- The wheel adds when moving forwards and subtracts in reverse
- A re-set lever sets the counter back to zero



| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| HB1702 | R1000 Measuring Wheel | EACH |

LEICA RUGBY 620 WITH RODEYE 160 DIGITAL RECEIVER

- Simple and reliable, no mistakes possible
- Concrete forming, pad placement and framework levelling
- Setting foundations and footings has never been more efficient
- Slope setting matching up to 8% in single axis



| CODE | DETAILS | UNIT |
|-----------|-----------------------------|------|
| LG6005985 | Leica Rugby 620 Laser Level | EACH |

LEICA NA720 AUTO LEVEL

- Extremely precise units which meet the highest standards in construction, engineering and topographic surveys
- Very rugged construction to withstand a short drop onto the ground, a fall into water and vibration from heavy machinery



| CODE | DETAILS | UNIT |
|----------|--|------|
| LG641982 | Leica Auto Level - 20X Optical Zoom | EACH |
| LG641983 | NA724 Auto Level, 24 x Optical Zoom | EACH |
| LG833190 | Leica NA730 Auto Level, 30X Optical Zoom | EACH |

LEICA LINO L6G-1, 3X360° LASER, GREEN BEAM, LI-ION, WALLMOUNT, RUGGED CASE

- 3x360° green line laser with Li-Ion batteries and magnetic adapter in a robust case
- Horizontal and two vertical 360° green laser lines
- Best visibility due to green Ultra-power laser diodes
- Self-levelling over wide range
- Fixed plumb point due to integrated base
- Adjustable strength of laser lines
- Operating range of up to 35 metres
- Li-Ion power for up to 11 h
- Uninterrupted working with Triple-Power concept
- Smart magnetic adapters versatile usage with round ends



| CODE | DETAILS | UNIT |
|----------|------------------------|------|
| LG912971 | Wallmount, Rugged Case | EACH |

LEICA LINO LINE & POINT LASERS

- Compact line and point laser with 2 green lines and 5 points
- Self-leveling line and point laser with 2 lines and 5 points
- Self-levelling 5 point laser with smart magnetic adapter



| CODE | DETAILS | UNIT |
|----------|--|------|
| LG864435 | Lino L2P5G Green Beam Cross Line and Point Laser | EACH |
| LG864431 | Lino L2P5-1 w/ Battery Pack & 360 Adapter | EACH |
| LG864427 | Lino P5-1 5 Point Laser in Hard Case, Lion battery | EACH |

LEICA PIPER, TARGET, AND LI-ION BATTERY

- Built with rugged aluminium housing, for exceptional performance in the toughest conditions
- The Leica Piper series of pipe lasers are perfect for storm and sanitary sewer construction, gravity flow pipe line and anywhere grade and line are required with a single beam
- The only laser piper laser in the world that fits inside a 100mm (4 inch) pipe, making it the perfect tool for road crossings or tight culverts



| CODE | DETAILS | UNIT |
|----------|----------------------|------|
| LG748704 | 100 with Remote | EACH |
| LG748710 | 200 with Alignmaster | EACH |

LEICA DD130 CABLE & PIPE AVOIDANCE LOCATOR KIT

- Automatic pinpointing
- Power, Radio, Auto modes Transmitter, 33kHz, 8kHz Depth detection up to 3 meters (10 feet)
- Good-to-Go Health Check and Start up test
- Extended trace range with additional 512Hz, 640Hz frequencies
- Signal current measurement
- Increased depth detection up to 10 metres (33 feet)
- IP54 rating - protection from dust and water



| CODE | DETAILS | UNIT |
|--------|------------------------------------|------|
| HB2131 | Cable & Pipe Avoidance Locator Kit | EACH |

SPECTRA LL300N PRECISION LASER LEVEL

- Automatic self-levelling
- Accuracy 3/32 inch at 100ft (2.2mm at 30m)
- Working range for 1650ft (500m) diameter
- Simple one-button operation for quick start up
- Height of instrument alert - unit stops rotating when jarred to avoid erroneous readings
- Angle axis manual slope mode (with RC601 remote control)
- Extremely durable and portable
- 5 year warranty



| CODE | DETAILS | UNIT |
|------------|------------------------------|------|
| SPC-LL300N | LL300N Precision Laser Level | EACH |

SPECTRA GL412N SINGLE GRADE LASER/ GL422N DUAL GRADE LASER LEVEL W/ HL760 RECEIVER, ROD CLAMP, RC402N REMOTE, 10AH NIMH BATTERY PACK

- Menu driven user interface reduces learning time and eliminates complex button pressing to activate advanced features
- RC402N radio remote control allows control of all laser functions from up to 330 feet or 100 meters
- Maintains performance even in rainy, dusty and other harsh job site and weather conditions - IP66 environmental rating



| CODE | DETAILS | UNIT |
|--------------|---------------------------------|------|
| SPC-GL412N-K | GL412N Single Grade Laser Level | EACH |
| SPC-GL422N-K | GL422N Dual Grade Laser Level | EACH |

SPECTRA LASEROMETER/ RECEIVER WITH ROD CLAMP

- Stand alone receiver with radio communication
- Has an internal, long range (80m radius), high speed digital radio
- Two units can be used together for long range wireless display and monitoring
- Includes rod clamp with bubble vial
- 3 year warranty



| CODE | DETAILS | UNIT |
|------------|---------------------------------|------|
| SPC-HL450 | HL450 Laserometer/Receiver | EACH |
| SPC-HL700 | HL700 Laserometer/Receiver | EACH |
| SPC-HL760U | HL760U Digital Readout Receiver | EACH |

LEICA DISTO

- Typical accuracy of +/- 1mm
- Range of 200m
- Measuring units m, ft, in, yd
- Protection class IP54 (dust and water splash)
- Dimensions 143 x 58 x 29mm
- Includes 30 result memory
- Requires 2 x AA batteries
- Comes with hand loop and holster



| CODE | DETAILS | UNIT |
|----------|---------------------------|------|
| LG837031 | DISTO D2 | EACH |
| LG855107 | DISTO X4-1, 150M | EACH |
| LG792290 | DISTO 510 with 200M Range | EACH |

ALUMINIUM TRIPOD

- Aluminium tripod for lasers
- Lightweight aluminium construction
- Independent leg height adjustment
- Available with domed or flat top



| CODE | DETAILS | UNIT |
|--------|-----------|------|
| HB1171 | Domed Top | EACH |
| HB1172 | Flat Top | EACH |

5M STAFF FOR LASER AND DUMPY LEVELS

- Laser staff, 5m
- Made from durable, lightweight aluminium
- 5 stage extendable design
- Available in two styles, standard metric and E Face



| CODE | DETAILS | UNIT |
|--------|------------------|------|
| HB1181 | E Staff (E face) | EACH |
| HB1182 | Metric MM Staff | EACH |

LINQ TOOL LANYARD WITH 2 X DOUBLE ACTION KARABINERS

- Tool Lanyard rated to maximum load limit of 5kg
- 80cm length extends to 120cm
- Hi-Vis orange lanyard for easy visual location
- 3 Bar stitch pattern for increased strength
- 2 x Swivel Snap Hooks to reduce tangling



| CODE | DETAILS | UNIT |
|--------|--------------|------|
| EL1351 | Max Load 5kg | EACH |

LINQ TOOL LANYARD WITH 2 X SWIVEL SNAP HOOKS

- Lanyard Material: Durable polyester/elastic blended webbing
- Connector Material: Electroplated zinc alloy
- Weight: 75 grams
- Length: 80cm (extends to 120cm)
- Maximum Working Load Limit: 1.86kg



| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| EL1361 | 2 x Swivel Snap Hooks | EACH |

LINQ TOOL LANYARD WITH SWIVEL SNAP HOOK TO LOOP TAIL

- Tool Lanyard rated to maximum load limit of 1.86kg
- 80cm length extends to 120cm
- Sliding loop lock keeps tools in place and connected
- Hi-Vis orange lanyard for easy visual location
- 3 Bar stitch pattern for increased strength



| CODE | DETAILS | UNIT |
|--------|-------------------------------|------|
| EL1371 | Swivel Snap Hook to Loop Tail | EACH |

LINQ TOOL LANYARD WITH SWIVEL SNAP HOOK & DETACHABLE TOOL STRAP

- Tool Lanyard rated to maximum load limit of 0.6kg
- 60cm length extends to 80cm
- Detachable sliding loop lock keeps tools in place and connected, can be used for quick tool swap over



| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| EL1381 | Detachable Tool Strap | EACH |

LINQ TOOL LANYARD TWIN TAIL WITH 3 X SWIVEL SNAP HOOKS

- Tool Lanyard rated to maximum load limit of 1.86kg
- 80cm length extends to 120cm
- Hi-Vis orange lanyard for easy visual location
- 3 Bar stitch pattern for increased strength
- 3 x Swivel Snap Hooks to reduce tangling



| CODE | DETAILS | UNIT |
|--------|------------------------|------|
| EL1391 | Tool Lanyard Twin Tail | EACH |

LINQ TOOL LANYARD WITH DOUBLE ACTION KARABINER TO LOOP TAIL

- Tool Lanyard rated to maximum load limit of 5kg
- 80cm length extends to 120cm
- Hi-Vis orange lanyard for easy visual location
- 3 Bar stitch pattern for increased strength
- Swivel Snap Hooks to reduce tangling



| CODE | DETAILS | UNIT |
|--------|--------------------------------------|------|
| EL1401 | Double Action Karabiner to Loop Tail | EACH |

LINQ TOOL LANYARD WITH DOUBLE ACTION KARABINER & DETACHABLE TOOL STRAP

- Lanyard Material: Durable polyester/elastic blended webbing
- Connector Material: Electroplated zinc alloy
- Plastic Material: PE (Polyethylene)
- Loop Tail Material: Polyester
- Rubberised grip avoids slipping



| CODE | DETAILS | UNIT |
|--------|---|------|
| EL1411 | Double Action Karabiner & Detachable Tool Strap | EACH |

LINQ TOOL LANYARD TWIN TAIL WITH 3 X DOUBLE ACTION KARABINERS

- Lanyard Material: Durable polyester/elastic blended webbing
- Connector Material: Anodized aluminium alloy
- Weight: 130 grams
- Length: 80cm (extends to 120cm)
- Maximum Working Load Limit: 5kg



| CODE | DETAILS | UNIT |
|--------|------------------------------|------|
| EL1421 | 3 x Double Action Karabiners | EACH |

LINQ HARD HAT LANYARD

- Clips on either end attach to hard hat and collar to prevent loss of headwear when working at heights
- Hi-Vis orange elastic lanyard for easy visual location
- Lanyard Material: Durable polyester/elastic blended webbing
- Plastic Material: PE (Polyethylene)
- Weight: 15 grams



| CODE | DETAILS | UNIT |
|--------|------------------|------|
| EL1541 | Hard Hat Lanyard | EACH |

LINQ WRIST STRAP

- Coiled tool connector provides compact tool retention
- Plastic coating for durability and comfort
- 2 x Swivel Snap Hooks to reduce tangling
- Maximum tool weight not to exceed 0.8 kg
- Strap Material: Stainless Steel/PE
- Connector Material: Electroplated zinc alloy



| CODE | DETAILS | UNIT |
|--------|-----------------|------|
| EL1481 | D Connection | EACH |
| EL1491 | Tool Connection | EACH |

FLAT SLING, 2 PLY

- Premium quality flat lifting slings
- Available in a large range of sizes



| CODE | DETAILS | UNIT | CODE | DETAILS | UNIT |
|----------|-----------------------|------|-----------|------------------------|------|
| HH1001-1 | 1000kg x 1M - 1 tonne | EACH | HH1003-1 | 3000kg x 1M - 3 tonne | EACH |
| HH1001-2 | 1000kg x 2M - 1 tonne | EACH | HH1003-2 | 3000kg x 2M - 3 tonne | EACH |
| HH1001-3 | 1000kg x 3M - 1 tonne | EACH | HH1003-3 | 3000kg x 3M - 3 tonne | EACH |
| HH1001-4 | 1000kg x 4M - 1 tonne | EACH | HH1003-4 | 3000kg x 4M - 3 tonne | EACH |
| HH1001-5 | 1000kg x 5M - 1 tonne | EACH | HH1003-5 | 3000kg x 5M - 3 tonne | EACH |
| HH1001-6 | 1000kg x 6M - 1 tonne | EACH | HH1003-6 | 3000kg x 6M - 3 tonne | EACH |
| | | | HH1003-10 | 3000kg x 10M - 3 tonne | EACH |
| HH1002-1 | 2000kg x 1M - 2 tonne | EACH | HH1004-2 | 4000kg x 2M - 4 tonne | EACH |
| HH1002-2 | 2000kg x 2M - 2 tonne | EACH | HH1004-4 | 4000kg x 4M - 4 tonne | EACH |
| HH1002-3 | 2000kg x 3M - 2 tonne | EACH | HH1004-6 | 4000kg x 6M - 4 tonne | EACH |
| HH1002-4 | 2000kg x 4M - 2 tonne | EACH | HH1004-8 | 4000kg x 8M - 4 tonne | EACH |
| HH1002-5 | 2000kg x 5M - 2 tonne | EACH | | | |
| HH1002-6 | 2000kg x 6M - 2 tonne | EACH | | | |
| | | | | | |
| HH1005-2 | 5000kg x 2M - 5 tonne | EACH | | | |
| HH1005-4 | 5000kg x 4M - 5 tonne | EACH | | | |
| HH1006-6 | 5000kg x 6M - 5 tonne | EACH | | | |

MEGA ROUND SLING

- Premium quality round lifting slings
- Available in a large range of sizes



| CODE | DETAILS | UNIT | CODE | DETAILS | UNIT |
|------------|---------------------------|------|----------|-----------------------|------|
| HH1011-1 | 1000kg x 1M - 1 tonne | EACH | HH1015-2 | 5000kg x 2M - 5 tonne | EACH |
| HH1011-1.5 | 1000kg x 1.5M - 1 tonne | EACH | HH1015-4 | 5000kg x 4M - 5 tonne | EACH |
| HH1011-2 | 1000kg x 2M - 1 tonne | EACH | HH1015-5 | 5000kg x 5M - 5 tonne | EACH |
| HH1011-3 | 1000kg x 3M - 1 tonne | EACH | HH1015-6 | 5000kg x 6M - 5 tonne | EACH |
| HH1011-4 | 1000kg x 4M - 1 tonne | EACH | | | |
| HH1011-5 | 1000kg x 5M - 1 tonne | EACH | | | |
| HH1011-6 | 1000kg x 6M - 1 tonne | EACH | | | |
| | | | | | |
| HH1012-1 | 2000kg x 1M - 2 tonne | EACH | | | |
| HH1012-1.5 | 2000kg x 1.5M - 2 tonne | EACH | | | |
| HH1012-2 | 2000kg x 2M - 2 tonne | EACH | | | |
| HH1012-2.5 | 2000kg x 2.5M - 2 tonne | EACH | | | |
| HH1012-3 | 2000kg x 3M - 2 tonne | EACH | | | |
| HH1012-4 | 2000kg x 4M - 2 tonne | EACH | | | |
| HH1012-5 | 2000kg x 5M - 2 tonne | EACH | | | |
| HH1012-6 | 2000kg x 6M - 2 tonne | EACH | | | |
| | | | | | |
| HH1013-1 | 3000kg x 1M - 3 tonne | EACH | | | |
| HH1013-1.5 | 3000kg x 1.5M - 3 tonne | EACH | | | |
| HH1013-2 | 3000kg x 2M - 3 tonne | EACH | | | |
| HH1013-2.5 | 3000kg x 2.5M - 3 tonne | EACH | | | |
| HH1013-3 | 3000kg x 3M - 3 tonne | EACH | | | |
| HH1013-4 | 3000kg x 4M - 3 tonne | EACH | | | |
| HH1013-5 | 3000kg x 5M - 3 tonne | EACH | | | |
| HH1013-6 | 3000kg x 6M - 3 tonne | EACH | | | |
| | | | | | |
| HH1014-1 | 4000kg x 1M - 4 tonne | EACH | | | |
| HH1014-2 | 4000kg x 2M - 4 tonne | EACH | | | |
| HH1014-3 | 4000kg x 3M - 4 tonne | EACH | | | |
| HH1014-4 | 4000kg x 4M - 4 tonne | EACH | | | |
| HH1014-5 | 4000kg x 5M - 4 tonne | EACH | | | |
| HH1014-6 | 4000kg x 6M - 4 tonne | EACH | | | |
| | | | | | |
| HH1010-4 | 10000kg x 4M - 10 tonne | EACH | | | |
| HH10110-5 | 10000kg x 5M - 10 tonne | EACH | | | |
| HH10110-6 | 10000kg x 6M - 10 tonne | EACH | | | |
| HH10110-8 | 10000kg x 8M - 10 tonne | EACH | | | |
| HH10110-10 | 10000kg x 10M - 10 tonne | EACH | | | |
| | | | | | |
| HH10115-4 | 15,000kg x 4M - 15 tonne | EACH | | | |
| HH10115-6 | 15,000kg x 6M - 15 tonne | EACH | | | |
| HH10115-10 | 15,000kg x 10M - 15 tonne | EACH | | | |

GRD 'S' BOW SHACKLE

- Premium quality hot dipped galvanised bow shackle
- Available in a large range of sizes



| CODE | DETAILS | UNIT |
|----------------|-------------------|------|
| HH2002-08/0.75 | 8x10mm WLL 0.75t | EACH |
| HH2002-10/1 | 10x11mm WLL 1.0t | EACH |
| HH2002-11/1.5 | 11x13mm WLL 1.5t | EACH |
| HH2002-13/2.0 | 13x16mm WLL 2.0t | EACH |
| HH2002-16/3.2 | 16x19mm WLL 3.2t | EACH |
| HH2002-19/4.7 | 19x22mm WLL 4.7t | EACH |
| HH2002-22/6.5 | 22x25mm WLL 6.5t | EACH |
| HH2002-25/8.5 | 25x29mm WLL 8.5t | EACH |
| HH2002-29/9.5 | 29x32mm WLL 9.5t | EACH |
| HH2002-32/12 | 32x35mm WLL 12t | EACH |
| HH2002-35/13.5 | 35x38mm WLL 13.5t | EACH |
| HH2002-38/17 | 38x41mm WLL 17t | EACH |
| HH2002-44/25 | 44x51mm WLL 25t | EACH |

GRD 'S' DEE SHACKLE

- Premium quality hot dipped galvanised dee shackle
- Available in a large range of sizes




| CODE | DETAILS | UNIT |
|----------------|------------------|------|
| HH2001-6/0.5 | 6x8mm WLL 0.5t | EACH |
| HH2001-08/0.75 | 8x10mm WLL 0.75t | EACH |
| HH2001-10/1 | 10x11mm WLL 1.0t | EACH |
| HH2001-11/1.5 | 11x13mm WLL 1.5t | EACH |
| HH2001-13/2.0 | 13x16mm WLL 2.0t | EACH |
| HH2001-16/3.2 | 16x19mm WLL 3.2t | EACH |
| HH2001-19/4.7 | 19x22mm WLL 4.7t | EACH |
| HH2001-25/8.5 | 25x29mm WLL 8.5t | EACH |

SAFEGUARD CARGO NET

- 1000kg Safe Working Load
- Multiple eyelet anchor points
- Anti-tangle design
- Triple layered reinforced edge

| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| HL1191 | Small, 1.8m x 1.4m | EACH |
| HL1201 | Medium, 2.6m x 2m | EACH |
| HL1211 | Dual Cab, 2.4m x 2.4m | EACH |
| HL1231 | Large, 3m x 2.6m | EACH |
| HL1251 | XL, 3.6m x 3m | EACH |
| HL1261 | XXL, 4.4m x 3.2m | EACH |



RATCHET TIE DOWN STRAP ASSEMBLY, 50MM X 9M


- 50mm x 9m blue polyester strap
- Two protective sleeves
- 2500kg lashing capacity
- Double locking mechanism

| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HL1011 | 50mm x 9m, LC 2500kg | EACH |



SAFEGUARD RESTRAINT WEATHERPROOF NET

- 1000kg Safe Working Load
- Designed for dual cab ute tubs, roof platforms, and trailers
- Made with a weatherproof poly canvas material with polyester webbing integrated through the design to give it its load rating of 1000 kg



| CODE | DETAILS | UNIT |
|--------|---------------------|------|
| HL2071 | Small, 1.6m x 1.6m | EACH |
| HL2072 | Medium, 2.2m x 1.6m | EACH |
| HL2073 | Large, 2.6m x 1.6m | EACH |



RATCHET TIE DOWN STRAP ASSEMBLY, 35MM X 6M

- Heavy duty Hook and Keepers stamped with lashing capacity
- Heavy duty Ratchet Buckle
- Manufactured from high tenacity blue polyester Webbing with 2 protective sleeves
- Complies with AS/NZS 4380
- 1500KG Lashing capacity

| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HL1151 | 35mm x 6m, LC 1500kg | EACH |



TARPAULIN, HEAVY DUTY

- High density UV resistant polyethylene weave
- Tear-resistant and water-resistant triple-layer protection
- Silver layer reflects heat and deflects UV rays
- Poly rope reinforced all around hem
- Reinforced plastic corners set with stainless steel rivets



| CODE | DETAILS | UNIT |
|----------------|------------|--------|
| HQ2001-1.8X2.4 | 1.8 x 2.4m | .0EACH |
| HQ2001-3.0X3.6 | 3.0 x 3.6m | EACH |
| HQ2001-3.0X5.4 | 3.0 x 5.4m | EACH |
| HQ2001-3.6X3.6 | 3.6 x 3.6m | EACH |
| HQ2001-3.6X5.4 | 3.6 x 5.4m | EACH |
| HQ2001-4.8X6.0 | 4.8 x 6.0m | EACH |
| HQ2001-4.8X7.2 | 4.8 x 7.2m | EACH |
| HQ2001-6.0X7.2 | 6.0 x 7.2m | EACH |
| HQ2001-7.2X9.0 | 7.2 x 9.0m | EACH |
| HQ2001-9.0X9 | 9.0 x 9.0m | EACH |



RATCHET TIE DOWN STRAP ASSEMBLY, 25MM X 5M

- Used for tying down loads whilst transporting, shifting or moving them
- It is widely used in transportation such as cargo binding, cargo lashing, binding and tow truck self-saving
- Comes with with Hook & Keeper
- 750kg capacity
- Size: 25mm x 5m

| CODE | DETAILS | UNIT |
|--------|---------------------|------|
| HL1562 | 25mm x 5m, LC 750kg | EACH |



SLS 3-IN-1 ALUMINIUM STEP LADDER

- Patented barrel hinge that makes changing positions quick, easy and efficient with an auto lock position lock function - no more fiddling with hooks
- Innovative top cap turns it into a leaning ladder that can be used against stud frames, internal corners, external corners and flat walls
- Non-marking, anti-slip top cap pads
- Angled, anti-slip wall pads on the back legs provide additional stability when used in the straight ladder configuration
- Large anti-slip feet for stability and durability
- Built in pole support that can be used against poles and trees
- Made to Australian Standards AS1892

| CODE | DETAILS | UNIT |
|--------|------------------------|------|
| HI2091 | 6/9 Step, 1.8m, 150kg | EACH |
| HI2092 | 7/11 Step, 2.1m, 150kg | EACH |
| HI2093 | 8/14 Step, 2.4m, 150kg | EACH |



*Also available in fibreglass

GORILLA EXTENSION LADDER ALUMINIUM 150KG INDUSTRIAL

- Single-Rope Pull and Release
- Strong Roll-Locked D-Rungs
- Stabiliser Ready

| CODE | DETAILS | UNIT |
|--------------|---------------------------|------|
| HI1051-08/13 | 2.4-3.9m (8-13ft), 150kg | EACH |
| HI1051-10/17 | 3.1-5.3m (10-17ft), 150kg | EACH |
| HI1051-12/21 | 3.7-6.5m (12-21ft), 150kg | EACH |
| HI1051-14/25 | 4.3-7.6m (14-25ft), 150kg | EACH |



*Also available in fibreglass

PLATFORM LADDER ALUMINIUM 150KG INDUSTRIAL

- 900mm hand rail meets OH&S requirements
- Non-slip treads and platform surface
- Patented Resin Bracing System
- Wheel Kits available on request

| CODE | DETAILS | UNIT |
|-----------|---|------|
| HI1021-02 | 2ft (0.6m), 150kg | EACH |
| HI1021-3 | 3ft (0.9m), 150kg | EACH |
| HI1021-4 | 4ft (1.2m), 150kg | EACH |
| HI1021-5 | 5ft (1.5m), 150kg | EACH |
| HI1021-6 | 6ft (1.8m), 150kg | EACH |
| HI1021-8 | 8ft (2.4m), 150kg | EACH |
| HI1003-6 | Wheel Kit To Suit Gorilla Platform Ladder | EACH |



PLATFORM LADDER FIBREGLASS 150KG INDUSTRIAL

- Compact line and point laser with 2 green lines and 5 points
- Self-leveling line and point laser with 2 lines and 5 points
- Self-leveling 5 point laser with smart magnetic adapter

| CODE | DETAILS | UNIT |
|----------|-------------------|------|
| HI1001-2 | 2ft (0.6m), 150kg | EACH |
| HI1001-3 | 3ft (0.9m), 150kg | EACH |
| HI1001-4 | 4ft (1.2m), 150kg | EACH |
| HI1001-5 | 5ft (1.5m), 150kg | EACH |
| HI1001-6 | 6ft (1.8m), 150kg | EACH |
| HI1001-8 | 8ft (2.4m), 150kg | EACH |



ACCESS PLATFORM LADDER, ALUMINIUM

- Access platform features super strong fully welded design fabricated from heavy duty aluminium
- The Access Platform provides and OH&S Compliant working at heights solution
- Work from three sides on the large, stable work platform
- 100mm deep treads improve safety and comfort when climbing
- Steel bracing under bottom step and side bracing provides protection from impact damage
- Made to Australian Standards AS1892

| CODE | DETAILS | UNIT |
|--------|--|------|
| HI1181 | 4 Step, 590mm x 800mm x 1104mm, 170 kg | EACH |
| HI1182 | 6 Step, 590mm x 800mm x 1656mm, 200 kg | EACH |
| HI1183 | 5 Step, 590mm x 800mm x 1381mm, 200 kg | EACH |
| HI1184 | 4 Step, 590mm x 800mm x 828mm, 200 kg | EACH |
| HI1185 | 4 Step, 590mm x 800mm x 1930mm, 200 kg | EACH |
| HI1186 | 8 Step, Platform Height 2209mm, 200 kg Ind | EACH |



SECURE SAFETY STEP - ORANGE WITH ANTI-SKID RUBBER STOPS

- Sturdy yet lightweight construction
- Nestable for compact storage
- Temperature rated to 30°C
- Optional rubber feet
- Four way access
- Anti-slip pads
- High visibility

| CODE | DETAILS | UNIT |
|--------|--|------|
| HI1092 | Safety Step - Orange with anti-skid rubber stops | EACH |



MAX ABRASE KESTREL SILVER SERIES CUTTING DISCS

- Lower heat generation
- Less sparking
- Lower machine load extends tool life
- Lower material loss
- Faster cutting
- Narrow cutting joints
- Long life



| CODE | DETAILS | UNIT |
|-----------|-------------|------|
| GCDS10010 | 100 x 1.0mm | EACH |
| GCDS11510 | 115 x 1.0mm | EACH |
| GCDS12510 | 125 x 1.0mm | EACH |
| GCDS23020 | 230 x 2.0mm | EACH |

MAX ABRASE HAWK SILVER SERIES GRINDING DISCS

- High Quality, Stainless Steel grade grinding discs
- MPA Tested in Hannover Germany
- Manufactured to EN12413 Standards
- Depressed centre, suitable for all general purpose grinding
- Well balanced and long lasting



| CODE | DETAILS | UNIT |
|-----------|-------------|------|
| GGDS10060 | 100 x 6.0mm | EACH |
| GGDS11560 | 115 x 6.0mm | EACH |
| GGDS12560 | 125 x 6.0mm | EACH |
| GGDS18060 | 180 x 6.0mm | EACH |
| GGDS23060 | 230 x 6.0mm | EACH |

MAX ABRASE FLAP DISC SILVER INOX-STAINLESS

- High quality, stainless steel grade flap discs
- Ideal for: Structural work, steel fabrication and welding
- An all-round performer on mild steel and stainless steel grinding and finishing
- Up to 30% more abrasive than other brands medium aggressiveness
- Well balanced for smooth, vibration free running
- Perfectly balanced disc eliminates vibration and fatigue



| CODE | DETAILS | UNIT | CODE | DETAILS | UNIT |
|------------|-------------------|------|------------|-------------------|------|
| GFDS10040 | 100mm x ZK40 Grit | EACH | GFDS12540 | 125mm, ZK40 Grit | EACH |
| GFDS10060 | 100mm x ZK60 Grit | EACH | GFDS12560 | 125mm, ZK60 Grit | EACH |
| GFDS10080 | 100mm x ZK80 Grit | EACH | GFDS12580 | 125mm, ZK80 Grit | EACH |
| GFDS100120 | 115mm x Z120 Grit | EACH | GFDS125120 | 125mm x Z120 Grit | EACH |
| GFDS11540 | 115mm, Z40 Grit | EACH | GFDS17840 | 178mm x Z40 Grit | EACH |
| GFDS11560 | 115mm, Z60 Grit | EACH | GFDS17860 | 178mm x Z60 Grit | EACH |
| GFDS11580 | 115mm, Z80 Grit | EACH | GFDS17880 | 178mm x Z80 Grit | EACH |
| GFDS115120 | 115mm x Z120 Grit | EACH | GFDS178120 | 178mm x Z120 Grit | EACH |

JOBBER DRILL BIT CARDED, METRIC

- Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° split point cuts faster and reduces wandering



| CODE | DETAILS | UNIT |
|----------|--|------|
| C9LM010 | 1mm Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9LM015 | 1.5mm Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9LM020 | 2mm Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9LM025 | 2.5mm Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9LM030 | 3mm Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9LM035 | 3.5mm Jobber Drill Bit CarDED | EACH |
| C9LM040 | 4mm Jobber Drill Bit CarDED | EACH |
| C9LM045 | 4.5mm Jobber Drill Bit CarDED | EACH |
| C9LM050 | 5mm Jobber Drill Bit CarDED | EACH |
| C9LM055 | 5.5mm Jobber Drill Bit CarDED | EACH |
| C9LM060 | 6mm Jobber Drill Bit CarDED | EACH |
| C9LM065 | 6.5mm Jobber Drill Bit CarDED | EACH |
| C9LM070 | 7mm Jobber Drill Bit CarDED | EACH |
| C9LM075 | 7.5mm Jobber Drill Bit CarDED | EACH |
| C9LM080 | 8mm Jobber Drill Bit CarDED | EACH |
| C9LM085 | 8.5mm Jobber Drill Bit CarDED | EACH |
| C9LM090 | 9mm Jobber Drill Bit CarDED | EACH |
| C9LM095 | 9.5mm Jobber Drill Bit CarDED | EACH |
| C9LM100 | 10mm Jobber Drill Bit CarDED | EACH |
| C9LM105 | 10.5mm Jobber Drill Bit CarDED | EACH |
| C9LM105R | 10.5mm Reduced Shank Drill Bit CarDED | EACH |
| C9LM110 | 11mm Jobber Drill Bit CarDED | EACH |
| C9LM110R | 11mm Reduced Shank Drill Bit CarDED | EACH |
| C9LM115 | 11.5mm Jobber Drill Bit CarDED | EACH |
| C9LM115R | 11.5mm Reduced Shank Drill Bit CarDED | EACH |
| C9LM120 | 12mm Jobber Drill Bit CarDED | EACH |
| C9LM120R | 12mm Reduced Shank Drill Bit CarDED | EACH |
| C9LM125 | 12.5mm Jobber Drill Bit CarDED | EACH |
| C9LM125R | 12.5mm Reduced Shank Drill Bit CarDED | EACH |
| C9LM130 | 13mm Jobber Drill Bit CarDED | EACH |
| C9LM130R | 13mm Reduced Shank Drill Bit CarDED | EACH |

JOBBER DRILL BIT CARDED, IMPERIAL

- Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° split point cuts faster and reduces wandering



| CODE | DETAILS | UNIT |
|----------|---|------|
| C9L1132 | 11/32 Jobber Drill Bit CarDED | EACH |
| C9L116 | 1/16 Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9L1164 | 11/64in Jobber Drill Bit CarDED | EACH |
| C9L112 | 1/2 Jobber Drill Bit CarDED | EACH |
| C9L12R | 1/2 Reduced Shank Drill Bit CarDED | EACH |
| C9L1332 | 13/32 Jobber Drill Bit CarDED | EACH |
| C9L1332R | 13/32 Reduced Shank Drill Bit CarDED | EACH |
| C9L1364 | 13/64 Jobber Drill Bit CarDED | EACH |
| C9L114 | 1/4in Jobber Drill Bit CarDED | EACH |
| C9L1532 | 15/32 Jobber Drill Bit CarDED | EACH |
| C9L1532R | 15/32 Reduced Shank Jobber Drill Bit CarDED | EACH |
| C9L1564 | 15/64 Jobber Drill Bit CarDED | EACH |
| C9L1764 | 17/64 Jobber Drill Bit CarDED | EACH |
| C9L118 | 1/8 Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9L1964 | 19/64 Jobber Drill Bit CarDED | EACH |
| C9L2164 | 21/64 Jobber Drill Bit CarDED | EACH |
| C9L2364 | 23/64 Jobber Drill Bit CarDED | EACH |
| C9L2564 | 25/64 Jobber Drill Bit CarDED | EACH |
| C9L2764 | 27/64 Jobber Drill Bit CarDED | EACH |
| C9L2764R | 27/64 Reduced Shank Drill Bit CarDED | EACH |
| C9L2964 | 29/64 Jobber Drill Bit CarDED | EACH |
| C9L2964R | 29/64 Reduced Shank Drill Bit CarDED | EACH |
| C9L316 | 3/16 Jobber Drill Bit CarDED | EACH |
| C9L3164 | 31/64 Jobber Drill Bit CarDED | EACH |
| C9L3164R | 31/64 Reduced Shank Drill Bit CarDED | EACH |
| C9L332 | 3/32 Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9L38 | 3/8 Jobber Drill Bit CarDED | EACH |
| C9L516 | 5/16 Jobber Drill Bit CarDED | EACH |
| C9L532 | 5/32 Jobber Drill Bit CarDED | EACH |
| C9L564 | 5/64in Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9L716 | 7/16 Jobber Drill Bit CarDED | EACH |
| C9L716R | 7/16 Reduced Shank Drill Bit CarDED | EACH |
| C9L732 | 7/32 Jobber Drill Bit CarDED | EACH |
| C9L764 | 7/64 Jobber Drill Bit CarDED (Pack/2) | EACH |
| C9L932 | 9/32 Jobber Drill Bit CarDED | EACH |
| C9L964 | 9/64 Jobber Drill Bit CarDED | EACH |

SDS 4 PLUS MASONRY DRILL BIT

- Centering chisel head with multi-flute spiral for maximum drilling capacity
- Easy centering spot drilling
- Dynamic, chisel-shaped head design



| CODE | DETAILS | UNIT |
|------------|--|------|
| SP040110G | 4.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP040160G | 4.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP050110G | 5.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP050160G | 5.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP050210G | 5.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP055110G | 5.5 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP055160G | 5.5 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP055210G | 5.5 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP055310G | 5.5 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060110G | 6.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060160G | 6.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060210G | 6.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060260G | 6.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060310G | 6.0 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP060460G | 6.0 x 460mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP065110G | 6.5 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP065160G | 6.5 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP065210G | 6.5 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP065260G | 6.5 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP065310G | 6.5 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP070110G | 7.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP070160G | 7.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP070210G | 7.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP070250G | 7.0 x 250mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP070450G | 7.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080110G | 8.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080160G | 8.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080210G | 8.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080260G | 8.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080310G | 8.0 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080460G | 8.0 x 460mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP080600G | 8.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP090210G | 9.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP1001000G | 10.0 x 1000mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100110G | 10.0 x 110mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100160G | 10.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100210G | 10.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100260G | 10.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100350G | 10.0 x 350mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100450G | 10.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP100600G | 10.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP110260G | 11.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP1201000G | 12.0 x 1000mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120160G | 12.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120210G | 12.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120260G | 12.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120360G | 12.0 x 360mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120450G | 12.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP120600G | 12.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |

| CODE | DETAILS | UNIT |
|------------|--|------|
| SP130160G | 13.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP130210G | 13.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP130310G | 13.0 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP130450G | 13.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP130600G | 13.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP1401000G | 14.0 x 1000mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP140160G | 14.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP140210G | 14.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP140260G | 14.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP140450G | 14.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP140600G | 14.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP150160G | 15.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP150260G | 15.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP150450G | 15.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP1601000G | 16.0 x 1000mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160160G | 16.0 x 160mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160210G | 16.0 x 210mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160260G | 16.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160310G | 16.0 x 310mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160450G | 16.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP160600G | 16.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP180300G | 18.0 x 300mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP180450G | 18.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP180600G | 18.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP190200G | 19.0 x 200mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP190450G | 19.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP200200G | 20.0 x 200mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP200300G | 20.0 x 300mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP200450G | 20.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP200600G | 20.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP220250G | 22.0 x 250mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP220450G | 22.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP220600G | 22.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP230450G | 23.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP240250G | 24.0 x 250mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP240450G | 24.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP250250G | 25.0 x 250mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP250450G | 25.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP250600G | 25.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP260250G | 26.0 x 260mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP260450G | 26.0 x 450mm SDS 4 Plus Masonry Drill Bit | EACH |
| SP260600G | 26.0 x 600mm SDS 4 Plus Masonry Drill Bit | EACH |

FULLER PLUMBING SILICONE, ROOFS/ GUTTERS/RAINWATER SYSTEMS, TRANSLUCENT - 300G

- Neutral cure sealant for use in roofs and rainwater applications
- Non-acidic, will not corrode metals



| CODE | DETAILS | UNIT |
|--------|--------------------|------|
| LC1001 | Translucent - 300g | EACH |

FULLER TRADE CONSTRUCTION ADHESIVE - 300G

- Ideal for bonding timber and most common construction materials
- Repositionable for up to 20 minutes after applications
- Bridges gaps up to 9mm - effective when used on uneven floors
- Fast drying



| CODE | DETAILS | UNIT |
|--------|-----------------|------|
| LC1011 | Adhesive - 300g | EACH |

SIKAFLEX PRO - 600ML SAUSAGE

- High performance polyurethane joint sealant
- Ideal for use in: expansion joints, precast concrete joints, external walling and cladding, curtain walling, sanitary installations, sealing around windows and doors, draught proofing, sealing penetrations in walls or floors
- Available in White, Off White, Sandstone, Beige, Pale Brown, Brick Red, Redwood, Grey, Dark Amber, Black, Dark Grey



| CODE | DETAILS | UNIT |
|--------|---------------|------|
| LC1021 | 600ml Sausage | EACH |

SIKAFLEX 11FC POLYURETHANE SEALANT/ADHESIVE

- Fast curing one component polyurethane sealant/adhesive with permanent elasticity
- Ideal for use as elastic adhesive for: assembling metal framed buildings, cover plates and covings, lightweight construction materials, acoustic ceiling tiles, wood, metal or plastic windows and doors, floor mouldings or door sills
- As elastic joint sealant: sealing joints in concrete, epoxy, stone, quarry tiled floors, sealing joints in roofing or guttering, draught proofing, containers, water tanks/silos, bolted lap joints, sealing penetrations in walls, sanitary



| CODE | DETAILS | UNIT |
|-----------|------------------------|------|
| LC1191-GY | 310ml Cartridge - Grey | EACH |
| LC1192-GY | 600ml Sausage - Grey | EACH |

OX CAULKING GUN 230MM

- Skeleton frame
- Quick release lever
- 6mm hex rod with ladder hang hook
- Barrel Length: 230mm



| CODE | DETAILS | UNIT |
|------------|--------------------|------|
| OX-P040109 | Caulking Gun 230mm | EACH |

OX PROFESSIONAL TUBULAR SEALANT GUN 380MM

- Professional tubular sealant gun for 600ml adhesive sausages
- Enclosed aluminium tube
- Quick release lever
- Easily dismantled for easy cleaning
- 380mm (15")



| CODE | DETAILS | UNIT |
|------------|-------------------|------|
| OX-P040215 | Sealant Gun 380mm | EACH |

PROTECH MULTI-PURPOSE LUBRICANT 400G

- Penetrant and lubricant
- Rust preventative
- Displaces moisture



| CODE | DETAILS | UNIT |
|--------|------------------------------|------|
| HU1321 | Multi-Purpose Lubricant 400g | EACH |

PROTECH HEAVY DUTY DEGREASER 400G

- Removes grease, oil, dirt and grime
- Easy to rinse off with water
- Cleans engines and parts fast



| CODE | DETAILS | UNIT |
|--------|---------------------------|------|
| HU1221 | Heavy Duty Degreaser 400g | EACH |

PROTECH CHAIN LUBRICANT 300G

- Reduces wear and friction
- For use on all types of chains
- Long lasting lubricant



| CODE | DETAILS | UNIT |
|--------|----------------------|------|
| HU1341 | Chain Lubricant 300g | EACH |

PROTECH WHITE LITHIUM GREASE 300G

- Long lasting protection and heavy duty lubricant
- Water and heat resistant
- For use on metal to metal connections



| CODE | DETAILS | UNIT |
|--------|---------------------------|------|
| HU1261 | White Lithium Grease 300g | EACH |

PROTECH SILICONE LUBRICANT 350G

- Lubricates and revives
- Waterproof and protects
- Prevents parts from sticking



| CODE | DETAILS | UNIT |
|--------|-------------------------|------|
| HU1311 | Silicone Lubricant 350g | EACH |

PROTECH CONTACT CLEANER FLAMMABLE 350G

- Fast drying and non conductive cleaner
- Leaves no residue
- For use on electronic equipment



| CODE | DETAILS | UNIT |
|--------|--------------------------------|------|
| HU1201 | Contact Cleaner Flammable 350g | EACH |

PROTECH FREEZE SPRAY 300G

- Freezes instantly
- Coolant for electrical and electronics use
- Non flammable



| CODE | DETAILS | UNIT |
|--------|-------------------|------|
| HU1281 | Freeze Spray 300g | EACH |

PROTECH BRAKE & PARTS CLEANER CHLORINATED 500G

- Removes brake fluid, oil, grease and dirt
- Cleans without disassembling unit
- No residue



| CODE | DETAILS | UNIT |
|--------|--|------|
| HU1231 | Brake & Parts Cleaner Chlorinated 500g | EACH |

VARTA HIGH ENERGY ALKALINE BATTERIES AAA

- Specially developed for devices with high energy consumption, such as battery-powered toys and keyboards, robots, game controllers, wireless mice, battery toothbrushes, baby monitors or flashlights that require powerful energy
- Easy and smart recognition of recommended use by modern icons
- 10 years power in storage guaranteed



| CODE | DETAILS | UNIT |
|-----------|------------|------|
| HS1581-10 | Pack of 10 | PACK |

VARTA HIGH ENERGY ALKALINE BATTERIES AA

- Specially developed for devices with high energy consumption, such as battery-powered toys and keyboards, robots, game controllers, wireless mice, battery toothbrushes, baby monitors or flashlights that require powerful energy
- Easy and smart recognition of recommended use by modern icons
- 10 years power in storage guaranteed



| CODE | DETAILS | UNIT |
|-----------|------------|------|
| HS1571-10 | Pack of 10 | PACK |

DURACELL COPPERTOP AAA BATTERIES

- Coppertop Battery Get Dependable, Long Lasting Coppertop Batteries. These Batteries Have Been Engineered To Deliver The Life You Need For Your Suitable, Everyday Devices
- From Storm Season To Medical Needs To The Holidays, Duracell Is The #1 Trusted Battery Brand



| CODE | DETAILS | UNIT |
|---------------|------------------|------|
| HS1461-AAA144 | Bulk Pack of 144 | PACK |

DURACELL COPPERTOP AA BATTERIES

- Coppertop Battery Get Dependable, Long Lasting Coppertop Batteries. These Batteries Have Been Engineered To Deliver The Life You Need For Your Suitable, Everyday Devices
- From Storm Season To Medical Needs To The Holidays, Duracell Is The #1 Trusted Battery Brand



| CODE | DETAILS | UNIT |
|--------------|------------------|------|
| HS1461-AA144 | Bulk Pack of 144 | PACK |

DURACELL COPPERTOP C BATTERIES

- Shelf life of up to 10 years
- 1.5V output
- Secure seal for leak protection
- Resistant to extreme temperatures



| CODE | DETAILS | UNIT |
|-----------|------------------|------|
| HS1461-C2 | Carded Pack of 2 | PACK |

DURACELL COPPERTOP D BATTERIES

- Shelf life of up to 10 years
- 1.5V output
- Secure seal for leak protection
- Resistant to extreme temperatures



| CODE | DETAILS | UNIT |
|-----------|------------------|------|
| HS1461-D2 | Carded Pack of 2 | EACH |

DURACELL PROCELL 9V BATTERIES

- Economically packaged in bulk and individually date-coded for effective inventory management.
- Used by manufacturers around the world: Procell Alkaline batteries have been designed in collaboration with manufacturers to work best in professional devices
- Operating temperatures from -20°C to 54°C



| CODE | DETAILS | UNIT |
|-------------|-----------------|------|
| HS1541-9V12 | Bulk Pack of 12 | PACK |

MALLORY M908 HEAVY DUTY 6V BATTERY

- Mallory M908



| CODE | DETAILS | UNIT |
|--------|-----------------------|------|
| HS1561 | Heavy Duty 6V Battery | EACH |

EASYMIX RED BUILDERS WHEELBARROW, STEEL TRAY AND HANDLES (WIDE PNE. WHEEL)


- High capacity seamless 100 ltr 1.2 mm steel tray
- 7 mm poly impact board
- Powder-coated steel handles 57 x 35 mm
- Contoured handle grips
- Heavy-duty 32 mm tubular welded legs
- 16 x 6.5 x 8 pneumatic tyre
- Solid 25 mm axle and steel rim



| CODE | DETAILS | UNIT |
|--------|-----------|------|
| HJ1182 | 100 Litre | EACH |

OX - KNEELING BOARD

- Trade foam kneeling board
- One piece base for longer life
- Built in grip handles for easier transport and leverage
- Firm foam for greater knee support



| CODE | DETAILS | UNIT |
|------------|-------------|------|
| OX-T240300 | 350 x 480mm | EACH |

PLASTIC PANEL SHIMS

- High quality plastic material, waterproof and resistant to weather changes



| CODE | DETAILS | UNIT |
|------------|---------------------------|------|
| HQ3002-BLK | 150x100mm, Black - 10.0mm | EACH |
| HQ3002-BLU | 150x100mm, Blue - 2.0mm | EACH |
| HQ3002-BRN | 150x100mm, Brown - 1.0mm | EACH |
| HQ3002-GRN | 150x100mm, Green - 3.0mm | EACH |
| HQ3002-GRY | 150x100mm, Grey - 15.0mm | EACH |
| HQ3002-WHT | 150x100mm, White - 20.0mm | EACH |
| HQ3002-YEL | 150x100mm, Yellow - 5.0mm | EACH |

OX - HEAVY DUTY FLOOR SCRAPER 200MM

- Long lasting protection and heavy duty lubricant
- Water and heat resistant
- For use on metal to metal connections



| CODE | DETAILS | UNIT |
|------------|--------------------------------|------|
| OX-P050408 | Heavy Duty Floor Scraper 200mm | EACH |

OPEN SLAB END WORKSTATION DESK

- 25mm thick tops and an 18mm ironstone base
- Strong and durable and backed by a 5 year warranty
- Side bolts for additional rigidity
- E1 Enviroboard



| CODE | DETAILS | UNIT |
|---------|--|------|
| CDK1575 | 1500mmW x 750mmD x 730mmH, Beech/Ironstone | EACH |
| CDK189 | Open Desk, 1800W x 900D x 730H | EACH |

RAPIDLINE MESH OPERATOR CHAIR

- Fully ergonomic
- Mesh back
- Injection moulded foam
- Fabric or Pu seat
- AFRDI certified
- 3 Lever chair



| CODE | DETAILS | UNIT |
|--------|---|------|
| FM2001 | EM300 Medium Mesh Back Operator Chair, Black | EACH |
| FM2006 | AM100 Mesh Back Operator Chair, Fully Adjustable, Black | EACH |

COMMERCIAL WHITEBOARD, MAGNETIC, WALL MOUNTED

- 4 free coloured magnets with every board
- Ideal for all lighter to medium whiteboard writing users
- Magnetic Receptive
- Dry wipe Surface
- 8 years surface guarantee Non flammable



| CODE | DETAILS | UNIT |
|--------|---------------|------|
| FC1007 | 2100 x 1200mm | EACH |
| FC1008 | 1500 x 1200mm | EACH |
| FC1009 | 600 x 450mm | EACH |
| FC1010 | 1800 x 900mm | EACH |

ARTLINE 500A WHITEBOARD MARKERS, 2MM BULLET NIB, ASSORTED COLOURS, 4 PACK

- Low odour alcohol based ink
- Pigment based ink for bold colours
- Long lasting aluminium barrel
- Ink is xylene free and rohs compliant
- Bullet nib with a 2mm line width



| CODE | DETAILS | UNIT |
|--------|-----------------------------|------|
| FC1012 | Assorted Colours, 4 Pack | EACH |
| FC1021 | Whiteboard Eraser, Magnetic | EACH |



**HEAD OFFICE
LAWSON**

02 9042 4050

19 John Street,
Lawson
NSW 2783

SYDNEY

02 9042 4000

Unit 2, 2 Capicure Drive,
Eastern Creek
NSW 2766

ADELAIDE

08 7009 4930

6-8 Pambula Street,
Regency Park
SA 5010

MELBOURNE

03 9463 2580

45-49 Jutland Way,
Epping
VIC 3076

CANBERRA

02 6128 2900

37 Endurance Avenue,
Quenbeyan
NSW 2620

WAGGA WAGGA

02 6938 3900

40 Nagle Street,
Wagga Wagga
NSW 2650

www.southland.com.au

we get it.